

Jiangsu Chuandao Washing Machinery Technology Co., Ltd

PRODUCT FEATURES



Technical features

- Leading intelligent drying system, 10-inch full-color high-definition touch screen, can store 99 editable automatic programs, which can be selected according to different clothes and linens.
- The inner drum is made of imported stainless steel, the electrical components are all imported, the converter is Mitsubishi, all contactors are Schneider, and all wires, plug-ins, bearings, etc. are imported.
- The loading capacity is designed according to 1:18, which allows for large loading capacity, fast speed, large door, convenient entry and exit of clothes, and easy operation and maintenance.
- The humidity control technology can accurately control the humidity of linen, avoid over-drying of clothes and cause damage to clothes, and also reduce drying energy.
- The electric heating one adopts PID control technology to accurately control the inlet air temperature, exhaust air temperature and inner cylinder temperature.
- High-power heating design, and an insulation layer on the outer cylinder, the temperature rises quickly, the temperature insulation effect is good, and the efficiency is higher.
- There are steam heating and electric heating methods





Technique parameters

| Model No | SDR-2025 | SDR-2040 |
|----------------------|-----------------------------------|---------------|
| Drum diameter (mm) | 850 | 1080 |
| Drum deepth (mm) | 800 | 875 |
| Capacity(L) | 453 | 800 |
| Volume load ratio | 18 | 20 |
| Main motor power(KW) | 0.75 | 1.5 |
| Air motor power(KW) | 0.55 | 1.5 |
| Heating method | Electrical heating /Steam heating | Steam heating |
| Voltage (v) | 380 | 380 |
| Heating power(KW) | 18 | 36 |
| Steam pressure (MPa) | 0.6 | 0.6 |
| Width(mm) | 890 | 1250 |
| Deepth(mm) | 1300 | 1500 |
| Height(mm) | 1805 | 1900 |
| Weight(KG) | 500 | 1000 |

Jiangsu Chuandao Washing Machinery Technology Co., Ltd. Address: No.388 Xinggang Road, Chongchuan District, Nantong City, 226000, Jiangsu Province, China. Tel:+86-(0)513-85663399 Fax:+86-(0)513-85663366

Shanghai Chuandao Aimei Machinery Equipment Co.,Ltd. No.516 Tengfu Road, Baihe Town, Qingpu District, Shanghai City, China Tel:+86-(0)21-39821778 Fax:+86-(0)21-39821005

Kunshan Chuandao Washing Machinery No.18 Xiangyun Road, Dianshanhu

Town, Kunshan City, China Tel:+86-(0)512-83663888 Fax:+86-(0)512-83663000



Jiangsu Chuandao Washing Machinery Technology Co., Ltd

PRODUCT FEATURES



Technical features

- Leading intelligent drying system, 10-inch fullcolor high-definition touch screen, can store 99 editable automatic programs, which can be selected according to different clothes and
- The inner drum is made of imported stainless steel, the electrical components are all imported, the converter is Inovance, all contactors are French Schneider, and all wires, plug-ins, bearings, etc. are all imported.
- The door diameter reaches 1 meter, saving effort and time when loading and unloading linens.
- The linen washed by a 100kg washer extractor can be directly loaded into the dryer. With a steam pressure of more than 5kg, they can be dried within 40 minutes, efficient and fast.
- The humidity control technology can accurately control the humidity of linen, avoid over-drying of clothes and cause damage to clothes, and also reduce drying energy.
- Intelligent control of drying time will not cause over-drying and hardening of linens. It can accurately judge the drying time and save energy more intelligently.





Technical Parameters

| Model No | SDR-2060 | SDR-2100 |
|----------------------|---------------|---------------|
| Drum diameter (mm) | 1260 | 1460 |
| Drum deepth (mm) | 980 | 1200 |
| Capacity(L) | 1220 | 2000 |
| Volume load ratio | 20 | 20 |
| Main motor power(KW) | 1.5 | 2.2 |
| Air motor power(KW) | 3 | 5.5 |
| Heating method | steam heating | steam heating |
| Voltage (v) | 380 | 380 |
| Steam pressure(MPa) | 0.6 | 0.6 |
| Width(mm) | 1440 | 1638 |
| Deepth (mm) | 1880 | 2100 |
| Height(mm) | 2150 | 2630 |
| Weight (KG) | 1500 | 2300 |

Jiangsu Chuandao Washing Machinery Technology Co., Ltd. Address: No.388 Xinggang Road, Chongchuan District, Nantong City, 226000, Jiangsu Province, China. Tel:+86-(0)513-85663399 Fax:+86-(0)513-85663366

Shanghai Chuandao Aimei Machinery Equipment Co.,Ltd. No.516 Tengfu Road, Baihe Town, Qingpu District, Shanghai City, China Tel:+86-(0)21-39821778 Fax:+86-(0)21-39821005

Kunshan Chuandao Washing Machinery No.18 Xiangyun Road, Dianshanhu

Town, Kunshan City, China Tel:+86-(0)512-83663888 Fax:+86-(0)512-83663000